

## REFERENCES

- [1]Y. Wang, Y. Zhang, Y. Lu, and X. Yu, “A Comparative Assessment of Credit Risk Model Based on Machine Learning” a case study of bank loan data,” *Procedia Computer Science*, vol. 174, pp. 141–149, Jan. 2020, doi: 10.1016/j.procs.2020.06.069.
- [2]P.Golbayani, I. Florescu, and R. Chatterjee, “A comparative study of forecasting corporate credit ratings using neural networks, support vector machines, and decision trees,” *The North American Journal of Economics and Finance*, vol. 54, p. 101251, Nov. 2020, doi: 10.1016/j.najef.2020.101251.
- [3]T. A. Olowookere and O. S. Adewale, “A framework for detecting credit card fraud with cost-sensitive meta-learning ensemble approach,” *Scientific African*, vol. 8, p. e00464, Jul. 2020, doi: 10.1016/j.sciaf.2020.e00464.
- [4]M.Kirlidog and C. Asuk, “A Fraud Detection Approach with Data Mining in Health Insurance,” *Procedia - Social and Behavioral Sciences*, vol. 62, pp. 989–994, Oct. 2012, doi: 10.1016/j.sbspro.2012.09.168.
- [5]Z. Li, Q. Huang, G. J. Carbone, and F. Hu, “A high performance query analytical framework for supporting data-intensive climate studies,” *Computers, Environment and Urban Systems*, vol. 62, pp. 210–221, Mar. 2017, doi: 10.1016/j.compenvurbsys.2016.12.003.
- [6]X. H. Han, D. A. Li, and L. Wang, “A Hybrid Cancer Classification Model Based Recursive Binary Gravitational Search Algorithm in Microarray Data,” *Procedia Computer Science*, vol. 154, pp. 274–282, Jan. 2019, doi: 10.1016/j.procs.2019.06.041.
- [7]H.Motieghader, A. Najafi, B. Sadeghi, and A. Masoudi-Nejad, “A hybrid gene selection algorithm for microarray cancer classification using genetic algorithm and learning automata,” *Informatics in Medicine Unlocked*, vol. 9, pp. 246–254, Jan. 2017, doi: 10.1016/j.imu.2017.10.004.
- [8]S. Sayed, M. Nassef, A. Badr, and I. Farag, “A Nested Genetic Algorithm for feature selection in high-dimensional cancer Microarray datasets,” *Expert Systems with Applications*, vol. 121, pp. 233–243, May 2019, doi: 10.1016/j.eswa.2018.12.022.
- [9]R.Senapti, K. Shaw, S. Mishra, and D. Mishra, “A Novel Approach for Missing Value Imputation and Classification of Microarray Dataset,” *Procedia Engineering*, vol. 38, pp. 1067–1071, Jan. 2012, doi: 10.1016/j.proeng.2012.06.134.
- [10]A. Nazir and R. A. Khan, “A novel combinatorial optimization based feature selection method for network intrusion detection,” *Computers & Security*, vol. 102, p. 102164, Mar. 2021, doi: 10.1016/j.cose.2020.102164.

- [11]M. Hu, X. Feng, Z. Ji, K. Yan, and S. Zhou, “A novel computational approach for discord search with local recurrence rates in multivariate time series,” *Information Sciences*, vol. 477, pp. 220–233, Mar. 2019, doi: 10.1016/j.ins.2018.10.047.
- [12]M.Momenzadeh, M. Sehhati, and H. Rabbani, “A novel feature selection method for microarray data classification based on hidden Markov model,” *Journal of Biomedical Informatics*, vol. 95, p. 103213, Jul. 2019, doi: 10.1016/j.jbi.2019.103213.
- [13]H.Bostani, M. Sheikhan, and B. Mahboobi, “A Strong Coreset Algorithm to Accelerate OPF as a Graph-based Machine Learning in Large-Scale Problems,” *Information Sciences*, Oct. 2020, doi: 10.1016/j.ins.2020.10.009.
- [14]A. K. Shukla, P. Singh, and M. Vardhan, “A two-stage gene selection method for biomarker discovery from microarray data for cancer classification,” *Chemometrics and Intelligent Laboratory Systems*, vol. 183, pp. 47–58, Dec. 2018, doi: 10.1016/j.chemolab.2018.10.009.
- [15]S.Misra, S. Thakur, M. Ghosh, and S. K. Saha, “An Autoencoder Based Model for Detecting Fraudulent Credit Card Transaction,” *Procedia Computer Science*, vol. 167, pp. 254–262, Jan. 2020, doi: 10.1016/j.procs.2020.03.219.
- [16]J. Lee, I. Y. Choi, and C.-H. Jun, “An efficient multivariate feature ranking method for gene selection in high-dimensional microarray data,” *Expert Systems with Applications*, vol. 166, p. 113971, Mar. 2021, doi: 10.1016/j.eswa.2020.113971.
- [17]M. Gong, J. Zhang, J. Ma, and L. Jiao, “An efficient negative selection algorithm with further training for anomaly detection,” *Knowledge-Based Systems*, vol. 30, pp. 185–191, Jun. 2012, doi: 10.1016/j.knosys.2012.01.004.
- [18]P. Kumar, G. P. Gupta, and R. Tripathi, “An ensemble learning and fog-cloud architecture-driven cyber-attack detection framework for IoMT networks,” *Computer Communications*, vol. 166, pp. 110–124, Jan. 2021, doi: 10.1016/j.comcom.2020.12.003.
- [19]R. Dash, R. Dash, and R. Rautray, “An evolutionary framework based microarray gene selection and classification approach using binary shuffled frog leaping algorithm,” *Journal of King Saud University - Computer and Information Sciences*, Apr. 2019, doi: 10.1016/j.jksuci.2019.04.002.
- [20]M. D. Dangut, Z. Skaf, and I. K. Jennions, “An integrated machine learning model for aircraft components rare failure prognostics with log-based dataset,” *ISA Transactions*, May 2020, doi: 10.1016/j.isatra.2020.05.001.
- [21]F. Jiang, J. Yuan, S. A. Tsafaris, and A. K. Katsaggelos, “Anomalous video event detection using spatiotemporal context,” *Computer Vision and Image Understanding*, vol. 115, no. 3, pp. 323–333, Mar. 2011, doi: 10.1016/j.cviu.2010.10.008.

- [22]M. Lopez-Martin, B. Carro, and A. Sanchez-Esguevillas, “Application of deep reinforcement learning to intrusion detection for supervised problems,” *Expert Systems with Applications*, vol. 141, p. 112963, Mar. 2020, doi: 10.1016/j.eswa.2019.112963.
- [23]C.Obimbo and M. Jones, “Applying Variable Coefficient functions to Self-Organizing Feature Maps for Network Intrusion Detection on the 1999 KDD Cup Dataset,” *Procedia Computer Science*, vol. 8, pp. 333–337, Jan. 2012, doi: 10.1016/j.procs.2012.01.069.
- [24]J. Huebner, E. Fleisch, and A. Ilic, “Assisting mental accounting using smartphones: Increasing the salience of credit card transactions helps consumer reduce their spending,” *Computers in Human Behavior*, vol. 113, p. 106504, Dec. 2020, doi: 10.1016/j.chb.2020.106504.
- [25]M.Jansi Rani, M. Karuppasamy, and M. Prabha, “Bacterial foraging optimization algorithm based feature selection for microarray data classification,” *Materials Today: Proceedings*, Jan. 2021, doi: 10.1016/j.matpr.2020.11.325.
- [26]L. Yu, X. Huang, and H. Yin, “Can machine learning paradigm improve attribute noise problem in credit risk classification?,” *International Review of Economics & Finance*, vol. 70, pp. 440–455, Nov. 2020, doi: 10.1016/j.iref.2020.08.016.
- [27]K. Kourou, G. Rigas, C. Papaloukas, M. Mitsis, and D. I. Fotiadis, “Cancer classification from time series microarray data through regulatory Dynamic Bayesian Networks,” *Computers in Biology and Medicine*, vol. 116, p. 103577, Jan. 2020, doi: 10.1016/j.combiomed.2019.103577.
- [28]M. H. Al-Mallah, A. Aljizeeri, T. C. Villines, M. B. Srichai, and A. Alsaileek, “Cardiac computed tomography in current cardiology guidelines,” *Journal of Cardiovascular Computed Tomography*, vol. 9, no. 6, pp. 514–523, Nov. 2015, doi: 10.1016/j.jcct.2015.09.003.
- [29]M. K. Ebrahimpour, H. Nezamabadi-pour, and M. Eftekhari, “CCFS: A cooperating coevolution technique for large scale feature selection on microarray datasets,” *Computational Biology and Chemistry*, vol. 73, pp. 171–178, Apr. 2018, doi: 10.1016/j.compbiolchem.2018.02.006.
- [30]E. Kim et al., “Champion-challenger analysis for credit card fraud detection: Hybrid ensemble and deep learning,” *Expert Systems with Applications*, vol. 128, pp. 214–224, Aug. 2019, doi: 10.1016/j.eswa.2019.03.042.
- [31]L. Carlos Padierna, L. Fabián Amador-Medina, B. Olivia Murillo-Ortiz, and C. Villaseñor-Mora, “Classification method of peripheral arterial disease in patients with type 2 diabetes mellitus by infrared thermography and machine learning,” *Infrared Physics & Technology*, vol. 111, p. 103531, Dec. 2020, doi: 10.1016/j.infrared.2020.103531.

- [32]Y. Du, C. Wang, H. Li, J. Song, and B. Li, "Clustering Heat Users Based on Consumption Data," *Energy Procedia*, vol. 158, pp. 3196–3201, Feb. 2019, doi: 10.1016/j.egypro.2019.01.1010.
- [33]F.Carcillo, Y.-A. Le Borgne, O. Caelen, Y. Kessaci, F. Oblé, and G. Bontempi, "Combining unsupervised and supervised learning in credit card fraud detection," *Information Sciences*, May 2019, doi: 10.1016/j.ins.2019.05.042.
- [34]C. A. Ruano, A. Marinho-da-Silva, and P. Donato, "Congenital Thoracic Venous Anomalies in Adults: Morphologic MR Imaging," *Current Problems in Diagnostic Radiology*, vol. 44, no. 4, pp. 337–345, Jul. 2015, doi: 10.1067/j.cpradiol.2015.01.002.
- [35]V. N. Dornadula and S. Geetha, "Credit Card Fraud Detection using Machine Learning Algorithms," *Procedia Computer Science*, vol. 165, pp. 631–641, Jan. 2019, doi: 10.1016/j.procs.2020.01.057.
- [36]S.Bagga, A. Goyal, N. Gupta, and A. Goyal, "Credit Card Fraud Detection using Pipeling and Ensemble Learning," *Procedia Computer Science*, vol. 173, pp. 104–112, Jan. 2020, doi: 10.1016/j.procs.2020.06.014.
- [37]M. Shafiq, Z. Tian, A. K. Bashir, A. Jolfaei, and X. Yu, "Data mining and machine learning methods for sustainable smart cities traffic classification: A survey," *Sustainable Cities and Society*, vol. 60, p. 102177, Sep. 2020, doi: 10.1016/j.scs.2020.102177.
- [38]K.Muchammad and T. Ahmad, "Detecting Intrusion Using Recursive Clustering and Sum of Log Distance to Sub-centroid," *Procedia Computer Science*, vol. 72, pp. 446–452, Jan. 2015, doi: 10.1016/j.procs.2015.12.125.
- [39]A. Mujumdar and V. Vaidehi, "Diabetes Prediction using Machine Learning Algorithms," *Procedia Computer Science*, vol. 165, pp. 292–299, Jan. 2019, doi: 10.1016/j.procs.2020.01.047.
- [40]S.Kilicarslan, K. Adem, and M. Celik, "Diagnosis and classification of cancer using hybrid model based on ReliefF and convolutional neural network," *Medical Hypotheses*, vol. 137, p. 109577, Apr. 2020, doi: 10.1016/j.mehy.2020.109577.
- [41]P. Redondo, L. Aguado, and A. Martínez-Cuesta, "Diagnosis and management of extensive vascular malformations of the lower limb: Part II. Systemic repercussions, diagnosis, and treatment," *Journal of the American Academy of Dermatology*, vol. 65, no. 5, pp. 909–923, Nov. 2011, doi: 10.1016/j.jaad.2011.03.009.
- [42]O. A. Sarumi, A. O. Adetunmbi, and F. A. Adetoye, "Discovering computer networks intrusion using data analytics and machine intelligence," *Scientific African*, vol. 9, p. e00500, Sep. 2020, doi: 10.1016/j.sciaf.2020.e00500.
- [43]S. P. Potharaju and M. Sreedevi, "Distributed feature selection (DFS) strategy for microarray gene expression data to improve the classification performance," *Clinical*

Epidemiology and Global Health, vol. 7, no. 2, pp. 171–176, Jun. 2019, doi: 10.1016/j.cegh.2018.04.001.

[44]M. K. Ebrahimpour and M. Eftekhari, “Distributed feature selection: A hesitant fuzzy correlation concept for microarray high-dimensional datasets,” *Chemometrics and Intelligent Laboratory Systems*, vol. 173, pp. 51–64, Feb. 2018, doi: 10.1016/j.chemolab.2018.01.001.

[45]I. Banerjee, P. Chanak, H. Rahaman, and T. Samanta, “Effective fault detection and routing scheme for wireless sensor networks,” *Computers & Electrical Engineering*, vol. 40, no. 2, pp. 291–306, Feb. 2014, doi: 10.1016/j.compeleceng.2013.04.027.

[46]N.Rtayli and N. Enneya, “Enhanced credit card fraud detection based on SVM-recursive feature elimination and hyper-parameters optimization,” *Journal of Information Security and Applications*, vol. 55, p. 102596, Dec. 2020, doi: 10.1016/j.jisa.2020.102596.

[47]J.Forough and S. Momtazi, “Ensemble of deep sequential models for credit card fraud detection,” *Applied Soft Computing*, vol. 99, p. 106883, Feb. 2021, doi: 10.1016/j.asoc.2020.106883.

[48]N.Upasani and H. Om, “Evolving Fuzzy Min-max Neural Network for Outlier Detection,” *Procedia Computer Science*, vol. 45, pp. 753–761, Jan. 2015, doi: 10.1016/j.procs.2015.03.148.

[49]M.Feriani, D. Gien, and R. Stepourjine, “Experimental Determination of the Performances of the Monitor of Attendance of Milling Tools Wear,” *IFAC Proceedings Volumes*, vol. 25, no. 7, pp. 453–457, May 1992, doi: 10.1016/S1474-6670(17)52408-8.

[50]Y. Wu, Y. Xu, and J. Li, “Feature construction for fraudulent credit card cash-out detection,” *Decision Support Systems*, vol. 127, p. 113155, Dec. 2019, doi: 10.1016/j.dss.2019.113155.

[51]V.Bolón-Canedo, N. Sánchez-Marroño, and A. Alonso-Betanzos, “Feature selection and classification in multiple class datasets: An application to KDD Cup 99 dataset,” *Expert Systems with Applications*, vol. 38, no. 5, pp. 5947–5957, May 2011, doi: 10.1016/j.eswa.2010.11.028.

[52]P. K. P, P. Vadakkepat, and L. A. Poh, “Fuzzy-rough discriminative feature selection and classification algorithm, with application to microarray and image datasets,” *Applied Soft Computing*, vol. 11, no. 4, pp. 3429–3440, Jun. 2011, doi: 10.1016/j.asoc.2011.01.013.

[53]A. Dabba, A. Tari, S. Meftali, and R. Mokhtari, “Gene selection and classification of microarray data method based on mutual information and moth flame algorithm.”

Expert Systems with Applications, vol. 166, p. 114012, Mar. 2021, doi: 10.1016/j.eswa.2020.114012.

[54]M. Shibata, K. Okamura, K. Yura, and A. Umezawa, “High-precision multiclass cell classification by supervised machine learning on lectin microarray data,” *Regenerative Therapy*, vol. 15, pp. 195–201, Dec. 2020, doi: 10.1016/j.reth.2020.09.005.

[55]X. Zhang, Y. Han, W. Xu, and Q. Wang, “HOBA: A novel feature engineering methodology for credit card fraud detection with a deep learning architecture,” *Information Sciences*, May 2019, doi: 10.1016/j.ins.2019.05.023.

[56]N. F. Ryman-Tubb, P. Krause, and W. Garn, “How Artificial Intelligence and machine learning research impacts payment card fraud detection: A survey and industry benchmark,” *Engineering Applications of Artificial Intelligence*, vol. 76, pp. 130–157, Nov. 2018, doi: 10.1016/j.engappai.2018.07.008.

[57]W. Bao, N. Lianju, and K. Yue, “Integration of unsupervised and supervised machine learning algorithms for credit risk assessment,” *Expert Systems with Applications*, vol. 128, pp. 301–315, Aug. 2019, doi: 10.1016/j.eswa.2019.02.033.

[58]Z. Chiba, N. Abghour, K. Moussaid, A. El omri, and M. Rida, “Intelligent approach to build a Deep Neural Network based IDS for cloud environment using combination of machine learning algorithms,” *Computers & Security*, vol. 86, pp. 291–317, Sep. 2019, doi: 10.1016/j.cose.2019.06.013.

[59]Z. Wang, Y. Liu, D. He, and S. Chan, “Intrusion Detection Methods Based on Integrated Deep Learning Model,” *Computers & Security*, p. 102177, Jan. 2021, doi: 10.1016/j.cose.2021.102177.

[60]S.Taghiyeh, D. C. Lengacher, and R. B. Handfield, “Loss rate forecasting framework based on macroeconomic changes: Application to US credit card industry,” *Expert Systems with Applications*, vol. 165, p. 113954, Mar. 2021, doi: 10.1016/j.eswa.2020.113954.

[61]J.-P. Li, N. Mirza, B. Rahat, and D. Xiong, “Machine learning and credit ratings prediction in the age of fourth industrial revolution,” *Technological Forecasting and Social Change*, vol. 161, p. 120309, Dec. 2020, doi: 10.1016/j.techfore.2020.120309.

[62]J.Somasekar, P. Pavan Kumar, A. Sharma, and G. Ramesh, “Machine learning and image analysis applications in the fight against COVID-19 pandemic: Datasets, research directions, challenges and opportunities,” *Materials Today: Proceedings*, Sep. 2020, doi: 10.1016/j.matpr.2020.09.352.

[63]Y. W. Lee, J. W. Choi, and E.-H. Shin, “Machine learning model for predicting malaria using clinical information,” *Computers in Biology and Medicine*, vol. 129, p. 104151, Feb. 2021, doi: 10.1016/j.combiomed.2020.104151.

- [64]J. R. de Castro Vieira, F. Barboza, V. A. Sobreiro, and H. Kimura, “Machine learning models for credit analysis improvements: Predicting low-income families’ default,” *Applied Soft Computing*, vol. 83, p. 105640, Oct. 2019, doi: 10.1016/j.asoc.2019.105640.
- [65]F.D’Ascenzo et al., “Machine learning-based prediction of adverse events following an acute coronary syndrome (PRAISE): a modelling study of pooled datasets,” *The Lancet*, vol. 397, no. 10270, pp. 199–207, Jan. 2021, doi: 10.1016/S0140-6736(20)32519-8.
- [66]N. S. Mohamed, S. Zainudin, and Z. Ali Othman, “Metaheuristic approach for an enhanced mRMR filter method for classification using drug response microarray data,” *Expert Systems with Applications*, vol. 90, pp. 224–231, Dec. 2017, doi: 10.1016/j.eswa.2017.08.026.
- [67]M. A. Hambali, T. O. Oladele, and K. S. Adewole, “Microarray cancer feature selection: Review, challenges and research directions,” *International Journal of Cognitive Computing in Engineering*, vol. 1, pp. 78–97, Jun. 2020, doi: 10.1016/j.ijcce.2020.11.001.
- [68]R. R. Rani and D. Ramyachitra, “Microarray Cancer Gene Feature Selection Using Spider Monkey Optimization Algorithm and Cancer Classification using SVM,” *Procedia Computer Science*, vol. 143, pp. 108–116, Jan. 2018, doi: 10.1016/j.procs.2018.10.358.
- [69]P. Mohapatra, S. Chakravarty, and P. K. Dash, “Microarray medical data classification using kernel ridge regression and modified cat swarm optimization based gene selection system,” *Swarm and Evolutionary Computation*, vol. 28, pp. 144–160, Jun. 2016, doi: 10.1016/j.swevo.2016.02.002.
- [70]W. L. Al-Yaseen, Z. A. Othman, and M. Z. A. Nazri, “Multi-level hybrid support vector machine and extreme learning machine based on modified K-means for intrusion detection system,” *Expert Systems with Applications*, vol. 67, pp. 296–303, Jan. 2017, doi: 10.1016/j.eswa.2016.09.041.
- [71]B. Cao et al., “Multiobjective feature selection for microarray data via distributed parallel algorithms,” *Future Generation Computer Systems*, vol. 100, pp. 952–981, Nov. 2019, doi: 10.1016/j.future.2019.02.030.
- [72]T. G. Jensen, J. Magalhães, H. W. Wijesekera, M. Buijsman, R. Helber, and J. Richman, “Numerical modelling of tidally generated internal wave radiation from the Andaman Sea into the Bay of Bengal,” *Deep Sea Research Part II: Topical Studies in Oceanography*, vol. 172, p. 104710, Feb. 2020, doi: 10.1016/j.dsr2.2019.104710.
- [73]A. Mujeeb, W. Dai, M. Erdt, and A. Sourin, “One class based feature learning approach for defect detection using deep autoencoders,” *Advanced Engineering Informatics*, vol. 42, p. 100933, Oct. 2019, doi: 10.1016/j.aei.2019.100933.

- [74]H. Zhu, G. Liu, M. Zhou, Y. Xie, A. Abusorrah, and Q. Kang, “Optimizing Weighted Extreme Learning Machines for imbalanced classification and application to credit card fraud detection,” *Neurocomputing*, vol. 407, pp. 50–62, Sep. 2020, doi: 10.1016/j.neucom.2020.04.078.
- [75]M. Yuan, Z. Yang, and G. Ji, “Partial maximum correlation information: A new feature selection method for microarray data classification,” *Neurocomputing*, vol. 323, pp. 231–243, Jan. 2019, doi: 10.1016/j.neucom.2018.09.084.
- [76]D.Jashwanth Reddy et al., “Predictive machine learning model for early detection and analysis of diabetes,” *Materials Today: Proceedings*, Oct. 2020, doi: 10.1016/j.matpr.2020.09.522.
- [77]S. Zheng, Y.-X. Zhu, D.-Q. Li, Z.-J. Cao, Q.-X. Deng, and K.-K. Phoon, “Probabilistic outlier detection for sparse multivariate geotechnical site investigation data using Bayesian learning,” *Geoscience Frontiers*, vol. 12, no. 1, pp. 425–439, Jan. 2021, doi: 10.1016/j.gsf.2020.03.017.
- [78]C.Kalimuthan and J. ArokiaRenjit, “Review on intrusion detection using feature selection with machine learning techniques,” *Materials Today: Proceedings*, vol. 33, pp. 3794–3802, Jan. 2020, doi: 10.1016/j.matpr.2020.06.218.
- [79]S.-S. Chang, H.-T. Chou, H.-Y. Liang, and P.-Y. Pai, “s24-7 comparison of left ventricular volumes and ejection fractions measured by 3-dimensional echocardiography versus by 2-dimensional echocardiography and 64-slice multidetector computed tomography,” *International Journal of Cardiology*, vol. 122, pp. S44–S45, Dec. 2007, doi: 10.1016/S0167-5273(08)70465-0.
- [80]S. W. Paek, L. G. Kronig, A. B. Ivanov, and O. L. de Weck, “Satellite constellation design algorithm for remote sensing of diurnal cycles phenomena,” *Advances in Space Research*, vol. 62, no. 9, pp. 2529–2550, Nov. 2018, doi: 10.1016/j.asr.2018.07.012.
- [81]F.Carcillo, A. Dal Pozzolo, Y.-A. Le Borgne, O. Caelen, Y. Mazzer, and G. Bontempi, “SCARFF: A scalable framework for streaming credit card fraud detection with spark,” *Information Fusion*, vol. 41, pp. 182–194, May 2018, doi: 10.1016/j.inffus.2017.09.005.
- [82]N.Rtayli and N. Enneya, “Selection Features and Support Vector Machine for Credit Card Risk Identification,” *Procedia Manufacturing*, vol. 46, pp. 941–948, Jan. 2020, doi: 10.1016/j.promfg.2020.05.012.
- [83]H. A. Khan and I. E. Qureshi, “SSNTD applications in science and technology — a brief review,” *Radiation Measurements*, vol. 31, no. 1, pp. 25–36, Jun. 1999, doi: 10.1016/S1350-4487(99)00093-1.



- [84]A. Verma and V. Ranga, “Statistical analysis of CIDD5-001 dataset for Network Intrusion Detection Systems using Distance-based Machine Learning,” *Procedia Computer Science*, vol. 125, pp. 709–716, Jan. 2018, doi: 10.1016/j.procs.2017.12.091.
- [85]K.Kanti Ghosh et al., “Theoretical and empirical analysis of filter ranking methods: Experimental study on benchmark DNA microarray data,” *Expert Systems with Applications*, vol. 169, p. 114485, May 2021, doi: 10.1016/j.eswa.2020.114485.
- [86]N. Makris, K. Kalmantis, N. Skartados, A. Papadimitriou, G. Mantzaris, and A. Antsaklis, “Three-dimensional hysterosonography versus hysteroscopy for the detection of intracavitary uterine abnormalities,” *International Journal of Gynecology & Obstetrics*, vol. 97, no. 1, pp. 6–9, Apr. 2007, doi: 10.1016/j.ijgo.2006.10.012.
- [87]M. T. Witmer, C. E. Margo, and M. Drucker, “Tilted Optic Disks,” *Survey of Ophthalmology*, vol. 55, no. 5, pp. 403–428, Sep. 2010, doi: 10.1016/j.survophthal.2010.01.002.
- [88]Y. Lucas et al., “Towards automated feature engineering for credit card fraud detection using multi-perspective HMMs,” *Future Generation Computer Systems*, vol. 102, pp. 393–402, Jan. 2020, doi: 10.1016/j.future.2019.08.029.
- [89]K.Isawa et al., “Traveling DC-SQUID gradiometry for nondestructive evaluation,” *Physica C: Superconductivity*, vol. 418, no. 1, pp. 1–8, Jan. 2005, doi: 10.1016/j.physc.2004.10.016.
- [90]A. T. Evans, K. Szlachetka, and L. L. Thornburg, “Ultrasound Assessment of the Intrauterine Device,” *Obstetrics and Gynecology Clinics of North America*, vol. 46, no. 4, pp. 661–681, Dec. 2019, doi: 10.1016/j.ogc.2019.07.005.
- [91]S.Sarbazi-Azad, M. S. Abadeh, and M. E. Mowlaei, “Using Data Complexity Measures and an Evolutionary Cultural Algorithm for Gene Selection in Microarray Data,” *Soft Computing Letters*, p. 100007, Oct. 2020, doi: 10.1016/j.socl.2020.100007.
- [92]U. Fiore, A. De Santis, F. Perla, P. Zanetti, and F. Palmieri, “Using generative adversarial networks for improving classification effectiveness in credit card fraud detection,” *Information Sciences*, vol. 479, pp. 448–455, Apr. 2019, doi: 10.1016/j.ins.2017.12.030.
- [93]S. M. Sharafi et al., “Vascular retinal biomarkers improves the detection of the likely cerebral amyloid status from hyperspectral retinal images,” *Alzheimer’s & Dementia: Translational Research & Clinical Interventions*, vol. 5, pp. 610–617, Jan. 2019, doi: 10.1016/j.trci.2019.09.006.